DTF-1202/1203/1204 STAR III

DTF STAR III LARGE-FORMAT FILM PRINTING MACHINE

- Epson precisioncore printhead
- As durable as screen printing
- Prints on virtually all fabrics
- Low maintenance time
- High-quality printouts

SPECIFICATION

DTF PET Film Inkjet Printer				
Brand		Sublistar		
Item Model		DTF-1202 STAR III	DTF-1203 STAR III	DTF-1204 STAR III
Print Head		Using Epson print head, including 400 nozzles/row*8*lines, high quality up to 1800dpi		
Print Resolution / Speed		4pass:10m² - 15m² /hour	4pass:12m² /hour	4pass:22m² - 34m² /hour
		6pass:6.5m² - 10m²/hour	6pass:8m²/hour	6pass:16m² - 24m²/hour
		8pass:3.5m² - 6m²/hour	8pass:6m²/hour	8pass:12m² - 16m²/hour
Ink	**Types**	Water Based Ink, Dye Ink, Sublimation Ink		
	Capacity	5 Colors: 1.5L*5/color	9 Colors: 1.5L*9/color	5 Colors: 1.5L*9/color
Media Type		PP Synthetic Paper, Vinyl Sheet, Film, Coated Paper, Canvas , Adhesive Vinyl Sheet, Banner and so on		
Media Heater		Front/Mid/Rear Heaters (individually controllable)		
Interface		USB 2.0		
RIP Software		Maintop6.1, Photoprint, Print Factory		
Operation Environment		Temperature:20℃- 35℃， Humidity:35%RH-65%RH		
DTF Powder Shaker And Dryer				
Model		S8-1200		
Operation Mode		PLC Touch Screen		
Max Width		1200mm		
Voltage		220-240V, 50Hz/60Hz		
Power		6KW		
Shaker Size		2450mm L x 1900mm W(with Air Filter) x 1060mm H		
Packing Size		2300mm L x 1980mm W x 1140mm H		

DTF DOUBLE-SIDED POWDER SHAKER & DRYER（S8）

DETAILS

EPSON PRECISIONCORE PRINTHEAD

Epson PrecisionCore Printhead for industrial-quality output at impressive production speeds. Stable and low maintenance time.



MUTE LINEAR GUIDE RAIL

Using high quality wider mute linear guide rail, the movement is more stable and the service life is longer.

PRESSURE ROLLER

New pinch roller structure more wider than before, brings more stable feeding precision.



ADVANCED BULK INK SYSTEM

Equipped with a bulk ink delivery system, that reduce ink replenishment frequency and cost.

INK TUBE INK LIMITED SYSTEM

Prevent print heads excessively flash spray, damage the heads.



RIP SOFTWARE

Maintop 6.1, Photoprint, Print Factory. (CADlink Rip extra charge)

SMART PLC TOUCH SCREEN

Equipped with an easy-to-use touch screen. Navigate the menu by simply touching the desired option.

TENSION FEED/TAKE-UP REEL

The paper feed and take-up with tension system allows you to complete production unattended for a simple and precise workflow from printing to loading and feeding through the roll-to-roll securely wound.

INFRARED DRYING

Adjustable temperature infrared and heating drying improves and protects color reproduction.





SUCTION CONVEYING SYSTEM

Vacuum adsorption conveying platform, absorbing the print material to ensure that the material does not bulge or run off.

DOUBLE SIDED CURING OVEN

Double oven, ultra-wide infrared heating area.Perfect output can also be achieved under high-speed production mode printing.

INTEGRATED PURIFIER

Integrated purifier for the option to replace of exhaust pipe make the use of the machine more convenient.

APPLICATION

Print More Than T-shirts

CAPABLE OF PRINTING TO

Shirts / Sweaters / Hoodies
Pullovers / Canvas / Denim
and more

Fei Yue Digital Technology Co.,Ltd
www.subli-star.com sales@subli-star.com